

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Trade name : TEGO Foamex 1488
 PRODUCT CODE : 205926
 CHEMICAL FAMILY : emulsion of organo-modified polysiloxanes

Information on manufacturer/supplier : Evonik Industries AG
 Werk Tego
 Goldschmidtstr. 100
 Essen, 05 45127

Emergency telephone number (24h) :		Telephone:
	CHEMTREC	(800) 424-9300
	CANUTEC	(613) 996-6666
	Non-Emergency Phone Number:	(800) 732-5616

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Concentration [%]
Poly(oxy-1,2-ethanediyl), a-octadecyl-w-hydroxy-	9005-00-9	1 - 5
Silane, dichlorodimethyl-, reaction products with silica	68611-44-9	< 1
Ethanol, 2-amino-	141-43-5	< 0.1
Benzene, methyl-	108-88-3	<= 0.02
Cyclohexane	110-82-7	< 0.001
Ethanol	64-17-5	<= 0.0001
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0	<= 0.0001

3. HAZARDS IDENTIFICATION

Emergency Overview

Physical Appearance

Form : Liquid
 Colour : white
 Odour : slight, typical
 Water solubility : miscible

pH : 7 - 9

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

delivered form

Potential health effects

- Immediate concerns : No particular hazards known.
- Eyes : May produce oil film causing brief reversible dimness of sight.
- Skin : No harmful effects have been reported upon contact with skin.
- Ingestion : No harmful effects have been reported upon ingestion.
- Inhalation : No harmful effects have been reported upon inhalation.
- Primary routes of entry : Eyes
- Target organs : Eyes
- Carcinogenicity : Not listed by NTP, IARC, ACGIH, or OSHA as a carcinogen.

4. FIRST AID MEASURES

- Eyes : In case of contact with eyes rinse thoroughly with plenty of water. If symptoms persist, seek medical advice.
- Skin : In case of contact with skin wash off with soap and water. In the event of symptoms seek medical advice.
- Ingestion : Thoroughly clean the mouth with water
In the event of symptoms seek medical advice.
- Inhalation : Ensure supply of fresh air.
In the event of symptoms seek medical advice.

Notes to physician

- Symptoms : Eye irritation
- Treatment : Treat symptomatically.

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

General advice : Remove soiled or soaked clothing immediately

5. FIRE-FIGHTING MEASURES

Flash point : not applicable

Autoignition temperature : not applicable

Upper Explosion limits : not applicable

Lower explosion limit : not applicable

Suitable extinguishing media : foam, carbon dioxide, dry powder, water spray.

Extinguishing media which must not be used for safety reasons : Full water jet

Products in case of fire : In the event of fire the following can be released:
- Carbon monoxide, carbon dioxide, silicon dioxide

Special protective equipment for fire-fighters : Do not inhale explosion and/or combustion gases
Use self-contained breathing apparatus

Hazardous decomposition products : None with proper storage and handling.

OSHA flammable class : Not Applicable

6. ACCIDENTAL RELEASE MEASURES

Methods for cleaning up / taking up : Small spills :
Take up with absorbent material (Sand, Universal Binder).
Take up absorbent material. When absorbed, sweep or otherwise collect and dispose of properly.

Release Notes :

US regulations require reporting spills of this material that could reach any surface waters

In case of accident or road spill notify :

Telephone:

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

CHEMTREC USA (800) 424-9300
CANUTEC Canada (613) 996-6666
CHEMTREC (other countries) (International code)+1-202-483-7616

7. HANDLING AND STORAGE

General Procedures Handling

Advice on safe handling : No special measures necessary if stored and handled as prescribed.

Advice on protection against fire and explosion : No special measures required.

Storage

Further information : Keep container tightly closed
PROTECT FROM FREEZING!

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA hazardous components (29 CFR 1910.1200)

Components	CAS-No.	Base	Type	Value	Note
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0	US. ACGIH Threshold Limit Values	Time Weighted Average (TWA):	2 mg/m3	
Cyclohexane	110-82-7	US. ACGIH Threshold Limit Values	Time Weighted Average (TWA):	100 ppm	
Ethanol	64-17-5	US. ACGIH Threshold Limit Values	Time Weighted Average (TWA):	1,000 ppm	
Ethanol	64-17-5	US. ACGIH Threshold Limit Values	Short Term Exposure Limit (STEL):	1,000 ppm	
Ethanol, 2-amino-	141-43-5	US. ACGIH Threshold Limit Values	Time Weighted Average (TWA):	3 ppm	
Ethanol, 2-amino-	141-43-5	US. ACGIH Threshold Limit Values	Short Term Exposure Limit (STEL):	6 ppm	
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0	US. NIOSH: Pocket Guide to Chemical Hazards	Recommended exposure limit (REL):	10 mg/m3	
Cyclohexane	110-82-7	US. NIOSH: Pocket Guide to Chemical Hazards	Recommended exposure limit (REL):	300 ppm 1,050 mg/m3	
Ethanol	64-17-5	US. NIOSH: Pocket Guide to Chemical Hazards	Recommended exposure limit (REL):	1,000 ppm 1,900 mg/m3	
Ethanol, 2-amino-	141-43-5	US. NIOSH: Pocket Guide to Chemical Hazards	Recommended exposure limit (REL):	3 ppm 8 mg/m3	
Ethanol, 2-amino-	141-43-5	US. NIOSH: Pocket Guide to Chemical Hazards	Short Term Exposure Limit	6 ppm	

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

		Hazards	(STEL):	15 mg/m3	
Cyclohexane	110-82-7	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)	PEL:	300 ppm 1,050 mg/m3	
Ethanol	64-17-5	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)	PEL:	1,000 ppm 1,900 mg/m3	
Ethanol, 2-amino-	141-43-5	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)	PEL:	3 ppm 6 mg/m3	

Personal protective equipment

- General protective measures : Do not inhale gases/vapours/aerosols.
Avoid contact with eyes and skin
- Hygiene measures : Wash hands before breaks and after work.
Do not eat, drink or smoke when working.
Remove soiled or soaked clothing immediately.
- Respiratory protection : in case of formation of vapours/aerosols:
Short term: filter apparatus, combination filter A-P2
- Hand protection : PVC gloves
The protective gloves to be worn must satisfy the specifications of EC Guideline 89/686/EEC and the resulting Standard EN374.
Specific workplace situations must be considered separately.
- Eye protection : safety glasses
- Protective clothing : protective clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form : Liquid
Colour : white
Odour : slight, typical
State of aggregation : Liquid
:

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

Boiling temperature : approx. 212.00 °F

Vapour pressure : not measured

Density : approx. 1 g/cm³
at 68.00 °F

Water solubility : miscible

pH : 7 - 9
at 100 g/l
delivered form

Viscosity, dynamic : 50 - 250 mPa.s
at 20 °C

Volatile organic compound : 12.0 g/l
0.10 Lb/Gal
percentage volatile: 1.2 %
Percent Water:74.5 %
percent non-volatile: 23.9 %

10. STABILITY AND REACTIVITY

Thermal decomposition : not measured

Hazardous reactions : No hazardous reactions with proper storage and handling.

Hazardous decomposition products : None with proper storage and handling.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 Species: rat
Dose: > 30 ml/kg

Note : Proper use provided, no adverse health effects have been observed or have been come to our knowledge.
Eye contact may produce an oil film over the eye-ball causing a harmless reversible shortlasting dimness of sight.

REGULATION (EC) No. 1272/2008
Causes serious eye irritation.

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

12. ECOLOGICAL INFORMATION

Further ecological information

Ecological notes : Do not allow to enter soil, waterways or waste water canal.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

Product disposal and disposal requirements : In accordance with local authority regulations, take to special waste incineration plant

Contaminated packaging : If empty contaminated containers are recycled or disposed of, the receiver must be informed about possible hazards.

14. TRANSPORT INFORMATION

Sea transport

IMDG:

Not regulated

Air transport

ICAO/IATA:

Not regulated

DOT (Department of Transportation)

CFR Road:

Not regulated

CFR Rail:

Not regulated

CANADA Transport of Dangerous goods

TDG Road:

Not regulated

TDG Rail:

Not regulated

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

15. REGULATORY INFORMATION

United States

SARA Section 311/312 : Fire: No
Pressure generating: No
Reactivity: No
Acute: No
Chronic: No

SARA Sections : SECTION 313
Notification : Yes

Components	CAS-No.
Cyclohexane	110-82-7

Notification Status : TSCA
Notification : Yes
All intentional ingredients are listed in the TSCA Inventory or comply with TSCA Polymer Exemption criteria per 40 CFR 723.

State regulations : MASS. RIGHT TO KNOW
Notification : Yes

RHODE ISLAND RTK
Notification : Yes

NEW JERSEY RTK
Notification : Yes

PENNSYLVANIA RTK
Notification : Yes

California Proposition 65 Statement : Notification : No
This product does not contain any substance(s) which are defined by the state of California to cause cancer, birth defects, or other reproductive effects.

Components	CAS-No.
Ethanol	64-17-5

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

CERCLA : CAS 110-82-7 :
CERCLA : CAS 64-17-5 :

Canada : WHMIS CLASSIFICATION
Non-WHMIS

This product contains component(s) that are listed on the WHMIS Ingredient Disclosure List.

Components	CAS-No.
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0
Cyclohexane	110-82-7
Ethanol	64-17-5
Ethanol, 2-amino-	141-43-5

Notification Status : Canadian Environmental Protection Act
DSL
Notification : Yes
All intentional ingredients are listed on the DSL (Domestic Substance List) or have been notified pursuant to the NSN regulations.

16. OTHER INFORMATION

HMIS Codes : Fire : 0
Health : 1
Physical Hazard : 0
Protection : X

Other information :

Comply with national laws regulating employee instruction.

Manufacturer disclaimer : While the information and recommendations contained herein are believed to be accurate, we make no warranty with respect hereto and disclaim all liability from reliance thereon

Material Safety Data Sheet

Version: 1.13

Revision Date : 08/19/2013
Date Issued : 08/22/2013

TEGO Foamex 1488

END OF MSDS